

**In the Claims:**

---

1. (Currently Amended) An intervertebral disc prosthesis comprising:  
a body adapted to fit an intervertebral space between adjacent vertebrae, wherein the body comprises a resilient biocompatible, non-bone material, said resilient biocompatible, non-bone material being the only solid material of the body.
2. (Currently Amended) The intervertebral disc prosthesis of Claim 1, wherein the body of the intervertebral disc prosthesis is selected from the group consisting of a monolayer sheet, a laminate comprising a plurality of layers, a block, a disc, an annulus and a ribbon, and wherein the laminate intervertebral disc prosthesis further comprises at least one fastener selected from the group consisting of a suture, a staple, a clip, an adhesive, and cell growth invasion of the laminate.
- AI 3. (Original) The intervertebral disc prosthesis of Claim 2, wherein the laminate is a folded sheet.
4. (Original) The intervertebral disc prosthesis of Claim 1, wherein the resilient biocompatible material is selected from a dissected human or animal tissue, an inorganic polymer, an organic polymer, or a combination thereof, and wherein the resilient biocompatible material is sterilized before implantation in a patient.
5. (Canceled)
6. (Currently Amended) The intervertebral disc prosthesis of Claim ~~5~~27, wherein the at least one ~~predetermined~~ defined line is selected from a linear indentation, a plurality of indentations or a plurality of perforations.

7. (Currently Amended) The intervertebral disc prosthesis of Claim 527, wherein the portion of the resilient biocompatible material removed is a ribbon.
8. (Original) The intervertebral disc prosthesis of Claim 4, wherein the dissected animal tissue is selected from porcine and bovine tissue.
9. (Canceled)
10. (Original) The intervertebral disc prosthesis of Claim 1, wherein the resilient biocompatible material is fixed by a protein cross-linking agent, and wherein the biocompatible material is detoxified.
11. (Original) The intervertebral disc prosthesis of Claim 1, wherein the protein cross-linking agent is glutaraldehyde.
- A |
12. (Canceled)
13. (Canceled)
14. (Currently Amended) The intervertebral disc prosthesis of Claim 1, wherein the body has an anterior face and a ~~one~~ posterior face.
15. (Original) The intervertebral disc prosthesis of Claim 14, wherein the thickness of the anterior face is greater than the thickness of the posterior face.
16. (Canceled)

17. (Original) The intervertebral disc prosthesis of Claim 1, further comprising an intervertebral spacer.
18. (Original) The intervertebral disc prosthesis of Claim 17, wherein the intervertebral spacer is comprised of a biocompatible non-resilient material selected from the group consisting of a metal, a plastic, an inorganic polymer, an organic polymer or a combination thereof.
19. (Original) The intervertebral disc prosthesis of Claim 17, wherein the intervertebral spacer is compressible.
20. (Currently Amended) A method of maintaining an intervertebral space between adjacent vertebrae, comprising the steps of:
- (a) excising ~~at least~~ only a portion of an intervertebral disc, thereby creating a receiving slot; and
  - (b) inserting into the receiving slot at least one intervertebral disc prosthesis, the intervertebral disc prosthesis comprising a body adapted to fit an intervertebral space between adjacent vertebrae, wherein the body comprises a resilient biocompatible material.
21. (Canceled)
22. (Canceled)
23. (Original) The method of Claim 20, further comprising the step of:  
removing a minimal portion of the bony process of a vertebrae, thereby creating access to the damaged intervertebral disc.

24. (Original) The method of Claim 20, further comprising the step of:  
implanting an intervertebral spacer into an intervertebral space.
25. (Canceled)
26. (New) An intervertebral disc prosthesis comprising:  
a body adapted to fit an intervertebral space between adjacent vertebrae, wherein the body  
comprises a resilient biocompatible material, and  
wherein a portion of the resilient biocompatible material is a ribbon.
- A | 27. (New) An intervertebral disc prosthesis comprising:  
a body adapted to fit an intervertebral space between adjacent vertebrae, wherein the body  
comprises a resilient biocompatible material; and  
wherein the resilient biocompatible material has at least one defined line for removing a  
portion of the resilient biocompatible material.
28. (New) An intervertebral disc prosthesis comprising:  
a body adapted to fit an intervertebral space between adjacent vertebrae, wherein the body  
comprises a resilient biocompatible material; and  
wherein the resilient biocompatible material is selected from a human or animal  
pericardium, an inorganic polymer, an organic polymer, or a combination thereof, and  
wherein the resilient biocompatible material is sterilized before implantation in a patient.

29. (New) An intervertebral disc prosthesis comprising:  
a body adapted to fit an intervertebral space between adjacent vertebrae, wherein the body  
comprises a resilient biocompatible material; and  
wherein the resilient biocompatible material is treated with an anti-calcification process.
30. (New) An intervertebral disc prosthesis comprising:  
a body adapted to fit an intervertebral space between adjacent vertebrae, wherein the body  
comprises a resilient biocompatible material; and  
wherein the resilient biocompatible material is treated with a blood anti-coagulant.
31. (New) An intervertebral disc prosthesis comprising:  
a body adapted to fit an intervertebral space between adjacent vertebrae, wherein the body  
comprises a resilient biocompatible material;  
wherein the body has an anterior face and a posterior face; and  
wherein the thickness of the anterior face is less than the thickness of the posterior face.
32. (New) A method of maintaining an intervertebral space between adjacent vertebrae,  
comprising the steps of:
- (a) excising at least a portion of an intervertebral disc, thereby creating a  
receiving slot; and
  - (b) inserting into the receiving slot at least one intervertebral disc prosthesis, the  
intervertebral disc prosthesis comprising a body adapted to fit an intervertebral  
space between adjacent vertebrae, wherein the body comprises a dissected animal  
pericardium, and
- wherein the dissected animal pericardium is detoxified, fixed and treated with an anti-  
calcification process before implantation into a patient.

33. (New) A method of maintaining an intervertebral space between adjacent vertebrae, comprising the steps of:

- (a) excising at least a portion of an intervertebral disc, thereby creating a receiving slot; and
- (b) inserting into the receiving slot at least one intervertebral disc prosthesis, the intervertebral disc prosthesis comprising a body adapted to fit an intervertebral space between adjacent vertebrae, wherein the body comprises a resilient biocompatible material; and

wherein the intervertebral disc prosthesis is a ribbon.

34. (New) A method of maintaining an intervertebral space between adjacent vertebrae, comprising the steps of:

- AI
- (a) excising at least a portion of an intervertebral disc, thereby creating a receiving slot; and
  - (b) inserting into the receiving slot at least one intervertebral disc prosthesis, the intervertebral disc prosthesis comprising a body adapted to fit an intervertebral space between adjacent vertebrae, wherein the body comprises a resilient biocompatible material; and
  - (c) delivering to the intervertebral space a substance, the substance, when in the intervertebral space, having a consistency ranging from a semi-solid state to a solid state.